CONSTR. CONSTRUCTION **DOUBLE** DIAMETER DIMENSIONS **EXISTING EACH WAY** E.A. EACH E.E. **EACH END EACH FACE** E.F. ELEV. **ELEVATOR EMBEDMENT EXTERIOR** FDN.(S) FOUNDATIONS (S)

FAR FACE **FLOOR FOOTING FRAMING** HORIZONTAL **INTERIOR INSIDE FACE** LENGTH MAXIMUM MINIMUM **NEAR FACE** 

N.T.S. NOT TO SCALE ON CENTER **OUTSIDE FACE** O.F.

**OPENINGS** POWDER ACTUATED FASTENER

PLATE PLYWOOD **PLYWOOD** PITCH REDWOOD REINFORCING

REFERENCE REQUIRED RETAINING SEE ARCH. DRAWINGS SIMILAR STAGR'D

STAGGERED STEEL SYM. SYMMETRICAL TOP OF T.O.C. **TOP OF CONCRETE** T.O.S. TOP OF STEEL THREADED TR TRANSITION TYPICAL


**VERT VERTICAL VERIFY IN FIELD** WITH WITHOUT

U.O.N.

WOOD WITH RESPECT TO

**UNLESS OTHERWISE NOTED** 

## SITE PLAN



## ADDITION TO: 805 N STREET EUREKA, CA



### PROJECT LOCATION



#### SCOPE OF WORK

VOLUNTARY STRENGTHENING OF EXISTING CANTILEVERED DECKS.

#### APPLICABLE CODES

2022 CALIFORNIA BUILDING CODE W/EUREKA BUILDING CODE AMENDMENTS

### PROJECT TEAM

STRUCTURAL DOLMEN CONSULTING ENGINEERS 2595 MISSION STREET SAN FRANCISCO, CA 94110 (415) 409-9200

#### **DRAWING LIST**

TITLE SHEET

**EXISTING & POROPOSED FLOOR PLANS EXISTING & PROPOSED ROOF PLANS** 

STRUCTURAL GENERAL NOTES TYPICAL CONCRETE & WOOD DETAILS

PLANS & DETAILS

#### PROJECT DATA

LOT/LOCATION:

805 N STREET EUREKA, CA BLOCK NO. / LOT: 244/ 1 NUMBER OF STORIES: 1-STORY OCCUPANCY: R-2 **CONSTRUCTION TYPE V** 

#### **GENERAL NOTES**

- CONTRACTOR SHALL VERIFY THAT (E) CONDITIONS ARE AS INDICATED ON THE DRAWINGS. NOTIFY THE ARCHITECT IMMEDIATELY OF VARIATIONS OR DISCREPANCIES. DO NOT PROCEED WITH AFFECTED WORK UNTIL THE VARIATIONS OR DISCREPANCIES ARE RESOLVED BY THE ARCHITECT.
- ALL CONSTRUCTION AND INSTALLATION WORK SHOWN ON DRAWINGS SHALL BE DONE IN ACCORDANCE WITH ALL APPLICABLE CODES AND ORDINANCES. USE METHODS AS REQUIRED TO COMPLETE WORK WITHIN LIMITATIONS OF ALL PREVAILING LAWS AND CODES
- DO NOT SCALE DRAWINGS: USE DIMENSIONS SHOWN. ALL DIMENSIONS SHALL BE VERIFIED IN THE FIELD. DIMENSIONS SHOWN AT (E) CONDITIONS ARE TO FACE OF (E) FINISH. U.O.N. DIMENSIONS AT NEW WORK ARE TO FACE OF FRAMING, U.O.N. DIMÈNSIONS OF (E) CONDITIONS ARE FOR REFERENCE ONLY AND SHALL BE VERIFIED BY THE CONTRACTOR IN THE FIELD. WHERE NO DIMENSION IS PROVIDED CONSULT WITH THE ARCHITECT FOR CLARIFICATION BEFORE PROCEEDING WITH AFFECTED WORK.
- SAFETY MEASURES: AT ALL TIMES THE CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR THE CONDITIONS AT THE JOB SITE, INCLUDING SAFETY OF PEOPLE AND PROPERTY. ARCHITECT SITE VISITS ARE NOT INTENDED TO REVIEW THE ADEQUACY OF THE CONTRACTOR'S SAFETY MEASURES.
- INSTALL MANUFACTURED MATERIALS AND EQUIPMENT PER MANUFACTURER'S RECOMMENDATIONS AND INSTRUCTIONS, UNLESS OTHERWISE INSTRUCTED.
- ALL WASTE AND REFUSE CAUSED IN CONNECTION WITH THE WORK SHALL BE REMOVED FROM THE PREMISES AND DISPOSED OF BY THE CONTRACTOR. THE PREMISES SHALL BE LEFT CLEAR AND CLEAN TO THE SATISFACTION OF THE ARCHITECT.
- APPLICATION OF FINISH: SURFACES PREVIOUSLY PREPARED OR INSTALLED BY ANOTHER TRADE SHALL BE INSPECTED CAREFULLY BY THE CONTRACTOR BEFORE APPLYING SUBSEQUENT MATERIALS OR FINISHES. IF SURFACES ARE NOT ACCEPTABLE, THE ARCHITECT SHALL BE NOTIFIED IMMEDIATELY IN ORDER THAT CORRECTIONS MAY BE MADE. APPLICATIONS OF FINISHES WILL BE CONSTRUED AS ACCEPTANCE OF RESPONSIBILITY BY THE SUBCONTRACTOR FOR THE BASE UPON WHICH IT IS APPLIED.
- H. INSTALL ALL WORK PLUMB, LEVEL AND STRAIGHT, OR AS REQUIRED TO ALIGN WITH (E) ADJACENT SURFACES.
- CONTRACTOR SHALL DESIGN AND INSTALL SHORING AS REQUIRED TO PERFORM WORK. RESPONSIBILITY FOR ENGINEERING, CONSTRUCTION AND SAFETY OF THE SHORING SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR.
- CONFLICTS BETWEEN VARIOUS ELEMENTS OF THE DRAWINGS, NOTES AND DETAILS SHALL BE BROUGHT TO THE ATTENTION OF THE ARCHITECT AND RESOLVED BEFORE PROCEEDING WITH WORK.
- DETAILS SHOWN SHALL BE INCORPORATED INTO THE PROJECT AT ALL APPROPRIATE LOCATIONS WHETHER SPECIFICALLY CALLED OUT OR NOT.
- THE CONTRACTOR MUST SUBMIT IN WRITING ANY REQUESTS FOR MODIFICATIONS TO THE PLANS AND SPECIFICATIONS. SHOP DRAWINGS SUBMITTED TO THE ARCHITECT FOR REVIEW DO NOT CONSTITUTE "IN WRITING" UNLESS IT IS CLEARLY NOTED ON THE SUBMITTAL THAT SPECIFIC CHANGES ARE BEING REQUESTED WITH THE PHRASE "REQUESTED CHANGE".
- FINAL AS BUILT RECORD DOCUMENTS SHOWING ALL REVISIONS INCORPORATED DURING CONSTRUCTION, SHALL BE SUBMITTED TO THE ARCHITECT PRIOR TO PROJECT CLOSE-OUT.
- N. THROUGHOUT THE CONSTRUCTION DOCUMENTS, ITEMS THAT ARE EXISTING ARE INDICATED AS "EXISTING" OR "(E)" ITEMS WITHOUT THIS INDICATION ARE NEW CONSTRUCTION. WHERE REQUIRED FOR PURPOSES OF CLARITY, SOME ITEMS MAY BE INDICATED AS "NEW OR "(N)".


#### FIRE SAFETY NOTES


- A. ALL EXITS TO BE MAINTAINED DURING & AFTER CONSTRUCTION.
- B. ALL FIRE RATINGS TO BE RESTORED AFTER CONSTRUCTION.
- C. ALL PENETRATIONS TO BE REPAIRED.
- D. MUST MAINTAIN EXISTING FIRE LIFE SAFETY SYSTEMS DURING CONSTRUCTION.



SEKA,

Design





LEGEND

Consulting Engineers Inc.

2595 Mission St., Suite 200
San Francisco, CA 94110
Voice 415,409,9200
www.dolmen-engineers.net


ADDITION 7 805 N STI EUREKA, (


EXISTING & PROPOSED FIRST FLOOR PLANS

Design Job 2414

Sheet

**A1** 






ADDITION 7 805 N STI EUREKA, (


EXISTING &

Date Design

Sheet

Job 2414 A2





### 1. GENERAL

- A. THESE NOTES APPLY TO ALL DRAWINGS AND GOVERN UNLESS OTHERWISE NOTED OR SPECIFIED
- B. VERIFY ALL EXISTING CONDITIONS AND PROPOSED DIMENSIONS AT PROJECT SITE. COMPARE STRUCTURAL DRAWINGS WITH ARCHITECTURAL, MECHANICAL, ELECTRICAL AND OTHER DISCIPLINE DRAWINGS BEFORE COMMENCING WORK. NOTIFY ARCHITECT OF ANY DISCREPANCIES AND DO NOT PROCEED WITH AFFECTED WORK UNTIL THEY ARE RESOLVED. DO NOT SCALE DRAWINGS.
- C. UNLESS OTHERWISE SHOWN OR NOTED ALL TYPICAL DETAILS SHALL BE USED WHERE APPLICABLE. ALL DETAILS SHALL BE CONSIDERED TYPICAL AT SIMILAR CONDITIONS.
- D. AT ALL TIMES THE CONTRACTOR SHALL BE SOLELY AND COMPLETELY RESPONSIBLE FOR THE CONDITIONS OF THE JOB SITE INCLUDING THE SAFETY OF PERSONS AND PROPERTY, AND FOR ALL NECESSARY INDEPENDENT ENGINEERING REVIEW OF THESE CONDITIONS. THE ENGINEER'S JOB SITE REVIEW IS NOT INTENDED TO INCLUDE REVIEW OF THE ADEQUACY OF THE CONRACTOR'S SAFETY MEASURES.
- E. CONTRACTOR SHALL BE RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES. ALL DAMAGE SHALL BE REPAIRED AT CONTRACTOR'S EXPENSE.

#### 2. TESTS AND INSPECTIONS

- A. PROVIDE TESTS AND INSPECTIONS FOR ALL ITEMS AS REQUIRED BY THE CALIFORNIA BUILDING CODE, 2022 EDITION, SECTION 1704 & 1705.
- B. THE OWNER SHALL BE RESPONSIBLE FOR RETAINING AN INDEPENDENT TESTING LAB TO PERFORM ALL REQUIRED TESTING AND INSPECTIONS.
- C. IN ACCORDANCE WITH THE 2022 CALIFORNIA BUILDING CODE SECTION 1705,
- THE FOLLOWING SPECIFIC ITEMS SHALL BE INSPECTED AND/OR TESTED BY THE TESTING LAB:
- 1. PLACEMENT OF REINFORCING
- 2. PLACEMENT OF CONCRETE
- 3. PLACEMENT OF HOLDOWNS & ANCHOR BOLTS.
- 4. CONCRETE SLUMP/STRENGTH
- 5. PULL-TEST ON EPOXIED ANCHOR BOLTS (FOR SIMPSON HOLDOWNS)
- D. IN ACCORDANCE WITH THE 2022 CALIFORNIA BUILDING CODE SECTION 1704 & 1705, THE FOLLOWING SPECIFIC ITEMS SHALL BE INSPECTED BY THE ENGINEER OF RECORD:
- 1. PLACEMENT OF REINFORCEMENT
- 2. PLACEMENT OF HOLDOWNS AND ANCHOR BOLTS
- 3. NAILING OF PLYWOOD DIAPHRAGMS
- 4. ROUGH FRAMING
- E. OBSERVED DEFICIENCIES SHALL BE REPORTED TO THE OWNER. THE SPECIAL INSPECTOR. THE CONTRACTOR AND THE BUILDING OFFICIAL.

PRIOR TO FINAL INSPECTION, THE STRUCTURAL OBSERVER SHALL SUBMIT TO THE BUILDING OFFICIAL A WRITTEN STATEMENT THAT SITE VISITS HAVE BEEN MADE AND IDENTIFY ANY REPORTED DEFICIENCIES THAT HAVE NOT BEEN RESOLVED.

F. THE CONTRACTOR SHALL NOTIFY THE ENGINEER A MINIMUM OF 48 HOURS PRIOR TO TIME OF INSPECTION

#### 3. DESIGN BASIS

A. CONSTRUCT IN ACCORDANCE WITH THE CURRENT EDITION OF THE CALIFORNIA BUILDING CODE AND ALL OTHER APPLICABLE LOCAL ORDINANCES.

1. LIVE LOADS(PSF)

FLOOR: 40PSF

2. DEAD LOADS(PSF)

ROOF: 15 PSF FLOOR: 13 PSF

2. WIND LOADS 92 MPH BASIC WIND SPEED

EXPOSURE "B"

R=6.5,  $\Omega$ =2.5, Cd=4 3. WOOD SHEARWALL

#### 4. FOUNDATIONS

- A. EXCEPT WHERE OTHERWISE SHOWN EXCAVATIONS SHALL BE MADE AS NEAR AS POSSIBLE TO THE NEAT LINES REQUIRED BY THE SIZE AND SHAPE OF THE STRUCTURE. ALL FOUNDATIONS SHALL BE POURED WITHOUT THE USE OF SIDE FORMS WHEREVER POSSIBLE. IF THE TRENCHES CANNOT STAND. FULLY FORM SIDES TO DIMENSIONS SHOWN.
- B. DO NOT ALLOW WATER TO STAND IN TRENCHES. IF BOTTOMS OF TRENCHES BECOME SOFTENED DUE TO RAIN OR OTHER WATER BEFORE CONCRETE IS CAST, EXCAVATE SOFTENED MATERIAL AND REPLACE WITH PROPERLY COMPACTED BACKFILL OR CONCRETE AT NO COST TO THE OWNER.
- C. ALL EXCAVATIONS, FORMS AND REINFORCING ARE TO BE INSPECTED BY THE LOCAL BUILDING INSPECTOR AND ENGINEER PRIOR TO PLACING CONCRETE.

#### 5. CONCRETE

- A. REINFORCE ALL CONCRETE, INSTALL ALL INSERTS, BOLTS, ANCHORS AND REINFORCING AND SECURELY TIE PRIOR TO PLACING CONCRETE.
- B. NO MORE THAN 90 MINUTES SHALL ELAPSE BETWEEN CONCRETE BATCHING AND CONCRETE PLACEMENT.
- C. CONCRETE SHALL BE HARDROCK CONCRETE AND SHALL ATTAIN AN ULTIMATE COMPRESSIVE STRENGTH AT 28 DAYS OF 3000 PSI.
- E. MAXIMUM SLUMP SHALL BE 4 INCHES UNLESS AN APPROVED WATER REDUCING AGENT HAS BEEN ADDED.
- F. MAXIMUM AGGREGATE SIZE IS 1-1/2 INCHES.
- G. CONCRETE SHALL BE CONTINUOUSLY CURED FOR 10 DAYS AFTER PLACING IN ANY APPROVED MANNER, INCLUDING CURING COMPOUND, CURING PAPER, ETC. FOOTINGS ARE EXEMPTED FROM THIS REQUIREMENT

#### 6. REINFORCING STEEL

- A. ALL REINFORCING STEEL BARS SHALL CONFORM WITH THE STANDARD SPECIFICATIONS FOR DEFORMED BILLET-STEEL FOR CONCRETE REINFORCEMENT. ASTM DESIGNATION A615-68, ALL BARS SHALL BE GRADE 60.
- B. SUITABLE DEVICES OF SOME STANDARD MANUFACTURE SHALL BE USED TO HOLD REINFORCEMENT IN ITS' TRUE POSITION. THESE DEVICES SHALL BE SUFFICIENTLY RIGID AND NUMEROUS TO PREVENT DISPLACEMENT OF THE REINFORCEMENT DURING PLACING OF CONCRETE.
- C. LAP SPLICE ALL BARS A MINIMUM OF 40 BAR DIAMETERS, UNLESS OTHERWISE NOTED.
- D. UNLESS NOTED OTHERWISE. MAINTAIN COVERAGE TO FACE OF BARS AS FOLLOWS:
- 1. 3 INCHES WHERE CONCRETE IS PLACED AGAINST EARTH EXCEPT SLAB-ON-GRADE.
- 2. 2 INCHES WHERE CONCRETE IS EXPOSED TO EARTH BUT FORMED 3. 1-1/2 INCHES FOR BEAMS, COLUMNS AND EXTERIOR SURFACES.
- 4. 3/4 INCH FOR INTERIOR SLABS, JOISTS AND WALLS.

#### 7. ROUGH CARPENTRY

- A. ALL CONSTRUCTION SHALL COMPLY WITH GENERAL CONSTRUCTION REQUIREMENTS OF THE LATEST EDITION OF THE CALIFORNIA BUILDING CODE, SECTION 2303.
- B. CONVENTIONAL CONSTRUCTION PROVISIONS NOT SPECIFICALLY DETAILED ON THE PLANS SHALL BE IN COMPLIANCE WITH CALIFORNIA BUILDING CODE, SECTION 2306.
- C. FOR SCHEDULE OF MINIMUM NAILING SEE TABLE 2304.9.1, CALIFORNIA BUILDING CODE. 16d VINYL COATED SINKERS MAY BE SUBSTITUTED FOR 16d BOX OR COMMON NAILS FOR ROUGH FRAMING. SINKERS SHALL NOT BE USED WITH METAL CONNECTORS.
- D. SILLS ON CONCRETE SHALL BE PRESSURE-TREATED DOUGLAS FIR. SILLS SHALL BE FASTENED TO THE CONCRETE WITH A MINIMUM OF TWO FASTENERS PER PIECE AND AT LEAST ONE FASTENER WITHIN 9 INCHES FROM EACH END OF EACH PIECE. FASTENERS SHALL BE COMPATIBLE WITH PRESSURE TREATMENT COMPOUNDS.
- E. PLACE JOISTS WITH CROWN UP.
- F. RETIGHTEN ALL BOLTS PRIOR TO CLOSING IN WALLS.
- G. USE GALVANIZED NAILS, BOLTS AND HARDWARE WHERE EXPOSED TO WEATHER AND IN ALL PRESSURE TREATED LUMBER.
- H. DOUBLE ALL JOISTS UNDER ALL PARALLEL PARTITIONS.
- I. BLOCK ALL JOISTS AT SUPPORTS AND UNDER ALL PARTITIONS WITH FULL DEPTH BLOCKING. BLOCK AND BRIDGE ROOF JOISTS AT 10 FEET AND FLOOR JOISTS AT 8 FEET UNLESS NOTED OTHERWISE.
- J. ALL TIMBER FASTENERS NOT SPECIFICALLY DETAILED ON THE DRAWINGS SHALL BE SIMPSON COMPANY'S STANDARD FASTENERS OR APPROVED EQUAL.
- K. PROVIDE MALLEABLE IRON WASHERS FOR ALL BOLTS IN BEARING CONTACT WITH WOOD.
- L. BOLT HOLES SHALL NOT BE MORE THAN 1/16 OF AN INCH LARGER THAN THE DIAMETER OF THE BOLT.

#### 8. FRAMING LUMBER

- A. ALL FRAMING LUMBER SHALL BE GRADED PER WCLIB GRADING RULES NO.16 AND SHALL HAVE A MAXIMUM MOISTURE CONTENT OF 19%.
- B. ALL POSTS AND BEAMS SHALL BE DF GRADE #1 OR TRUS JOIST PARALLEL STRAND LUMBER (2.0 E), UNLESS OTHERWISE APPROVED.
- C. ALL FLOOR, ROOF AND CEILING JOISTS OR RAFTERS SHALL BE DF GRADE #1 OR TRUS JOIST TJI 230 PRO.
- D. ALL STUDS, HEADERS, PLATES, RIM, ETC. SHALL BE DF GRADE #2 OR TRUS JOIST TIMBERSTRAND, LAMINATED STRAND LUMBER (1.5 E).
- E. ALL FRAMING EXPOSED TO WEATHER SHALL BE PRESSURE-TREATED DOUGLAS FIR OR REDWOOD UNLESS OTHERWISE NOTED ON PLANS OR DETAILS.
- F. ALL TIMBER PLACED AGAINST BRICK OR CONCRETE SHALL BE PRESSURE TREATED
- G. MINIMUM SILL PLATE BOLTING SHALL BE \( \frac{5}{8} \)"DIA. \( \omega 4' \text{o.c.} \) MAX, WITHIN 12" OF ENDS, MIN. 2 PER PIECE WITH

#### 9. WOOD STRUCTURAL PANEL

- A. EACH PANEL SHALL BE IDENTIFIED WITH THE APPROPRIATE GRADE, TRADEMARK OF THE AMERICAN PLYWOOD ASSOCIATION AND SHALL MEET THE REQUIREMENTS OF THE LATEST EDITION OF THE U.S. PRODUCT STANDARD PS-1.
- B. PLYWOOD SHEETS SHALL BE THE THICKNESS SPECIFIED HEREIN OR AS NOTED ON THE DRAWINGS.
- C. PLYWOOD SHEETS AT FLOORS AND ROOFS SHALL BE LAID WITH FACE GRAIN PERPENDICULAR TO JOISTS AND RAFTERS.
- D. PLYWOOD SHEETS ON WALLS SHALL BE LAID WITH LONG DIMENSION VERTICAL. BLOCK ALL EDGES WITH FULL DEPTH BLOCKING.
- E. UNLESS OTHERWISE NOTED ON THE DRAWINGS TYPICAL ROOF PLYWOOD SHALL BE UNBLOCKED 5/8 INCH, 32/16 CDX WITH 10d NAILS @ 6"O.C. @ PANEL EDGES AND 10d NAILS @ 12" O.C. FIELD NAILING. PROVIDE PLYCLIPS BETWEEN JOISTS WHERE EDGES ARE NOT BLOCKED.
- F. UNLESS OTHERWISE NOTED ON THE DRAWINGS TYPICAL FLOOR PLYWOOD SHALL BE UNBLOCKED 3/4 INCH, 40/20 T&G CDX WITH 10d NAILS @ 6"O.C. @ PANEL EDGES AND 10d NAILS @ 12" O.C. FIELD NAILING.
- G. UNLESS OTHERWISE SPECIFIED IN A SHEARWALL SCHEDULE, TYPICAL SHEARWALL PLYWOOD SHALL BE 1/2 INCH, 24/0 CDX WITH 10d NAILS @ 6"O.C. @ PANEL EDGES AND 10d NAILS @ 12" O.C. FIELD NAILING IN ACCORDANCE WITH SHEARWALL TYPE 1.

#### 10. SIMPSON HOLDOWNS

A. HOLDOWNS PER SIMPSON STRONG TIE, REFER TO MANUFACTURER'S DETAILS AND SPECIFICATIONS.




ISSUE

03/15/24 FOR PERMIT



Job 2414



ISSUE

03/15/24 FOR PERMIT

DATE

\*HEADERS AT NON-BEARING WALLS MAY

-HOLDOWN POST

-ADD SQUASH BLOCK TO MATCH

BARS SHALL BE

SIDE OF FAILURE

CHAPTER 12.—

CONE PER ACI-318

DEVELOPED ON EACH /

2−#4 L ANCHOR

REINFORCING. EA.

-BOLT, MIN. TYP.

U.O.N.

SIDE OF HOLDOWN

-1-#4 CONT.

MIN. U.O.N.

- FAILURE

CONE

HOLDOWN POST, TYP

SCABS - 2x STUD WIDTH

(SEE NOTE BELOW) 5-16d AT 2 1/2" O.C. STAGGERED EACH END

HOLE FOR PIPE CENTERED ON STUD

x 2'-8" LONG AS REQUIRED

FOR D LESS THAN 1/3 W -

FOR D BETWEEN 1/3 W AND

FOR D BETWEEN 1/2 W AND

D GREATER THAN 2/3 W -

ELEVATION-STUD

NO SCAB REQUIRED

1/2 W - 1 SCAB.

2/3 W - 2 SCABŚ.

NOT PERMITTED.

PER PLAN

Design AS NOTED

Sheet

BE SUBSTITUTED w/ENGINEERED LSL's 2-16d LOWER P TO EACH STUD (ADD 1-16d T.N. EACH SIDE FOR STUDS OVER 12'-0") OF COMPRABLE SIZE. ¢ TOP ₽ SPLICE DOUBLE STUD EACH SIDE OF OPENING WIDER THAN 4'-0" MIN. LAP © SPLICE USE 16-16d @ 4" o.c. STAGGERED EACH SIDE OF SPLICE OF UPPER TOP PC (IN ADDITION TO TYPICAL TO LOWER P 4-16d @ CORNER LAPS & CROSS WALL LAPS OF TOP P's 2-10d T.N. OR 2-16d EA. END OF BLOCK NOTCHING OF STUDS NOT PERMITTED. HOLES IN STUDS SHALL BE ON Q OF STUDS AND NO LARGER THAN 1/3 STUD DEPTH. \*6x6 OR 4x8 FOR WIDTHS UP TO 4'-0", 6x8 OR 4x10 FOR WIDTHS UP TO 6'-0" UNO. -L50/L30 T&B AT EXT. WALL -5-16d EA. END OF SOLID HDR.s 2x SOLID BLK'G AT MID—HEIGHT OF STUDS OR @ 8'-0" o.c. (HERRINGBONE BLK'G OPTIONAL) & 2-16d EA.END∏ -CRIPPLE w/16d @ EA. MEMBER OF 12" o.c. STAGGERED∦ C CUT IN SILL FOR PIPE (WHEN CUT EXCEEDS 1/3) SILL WIDTH, ADD A.B. EA. SIDE. BUILT-UP HDR.s -16d **@** 12" o.c. STAGGERED, TYP. 2-10d T.N. EACH ≠# 9"MAX., 4½"MIN∏ DOUGLAS FIR. USE 3x SILL AT PLYW'D SHEATHED WALLS. SIDE FOR STUDS UP TO 12'-0" (3-10d T.N. FOR STUDS UP TO 18'-0") BEND #4 CURB 4'-0"o.c.MAX.

BAR DOWN 12" AT 4'-0"o.c.MAX.

DOOR JAMB SPACING OF 2-A.B.'s MIN. PER PIECE OF SILL ₹ 9" MAX. 3"x3"x1/4" <del>∤ ∤ ∤</del> 9" MAX., 4½" MIN 41/2" MIN. PLATE WASHER~ **φ'** SPLICE OF SILL TYP. @ ALL A.B.'s %"øA.B.

**EPOXIED** 

ANCHORS

PULL-TEST

6,000#

8,800#

11,000#

15,000#

20,000#

23,000#

EMBED

10"

10**"** 

PLAN-DOUBLE TOP PLATE

PLAN-SILL OR SOLE PLATE

EACH SIDE AS SHOWN

CONT. RIM-

SIMPSON-

HOLDOWN

PER PLAN

CONC WALL-

MIN 8"

THICK

SIMPSON SB OR PAB ANCHOR

TYPICAL STUDWALL FRAMING ELEVATION U.O.N

MIN. F

9"

15**"** 

HOLDOWN SCHEDULE

PAB5

PAB5

PAB7

PAB8

PAB8

CAST-IN-PLACE ANCHOR

IN CONC SLAB

MIN EMBED. (A)

10**"** 

10-1/2"

10-1/2"

SCALE: N.T.S.

CAST-IN-PLACE ANCHOR

IN STEM WALL

SIMPSON SB 5/8x24

SIMPSON SB 5/8x24

SIMPSON SB 5/8x24

SIMPSON SB 7/8x24

SIMPSON SB 1x30

SIMPSON SB 1x30

SIMPSON HOLDOWN

PER PLAN —

SIMPSON SB or

-SCARIFY. MOISTURE CONDITION

ASTM D-1557. SEE SOILS REPORT

AND COMPACT TO 90% PER

-CONT. SAW CUT

CONSTRUCTION

JOINT

TYPICAL SLAB-ON-GRADE

MIN. 10 MIL VAPOR BARRIER-

4" OF ½-¾" CRUSHED—

6" OF CLASS 2 AGG.

SEE SOILS REPORT

ROCK (AT INTERIOR S.O.G.)

BASEROCK (AT EXT. S.O.G.)

|                           | CO    | NCRETE WALL INTERSEC   | TIONS  |
|---------------------------|-------|--|--------|
| D                         | D PET | Pig River State of the state of | x. no. |
| 4d OR 2-1/2" MIN.<br>180° | 90°   | 90°  | 135°   |

STANDARD

- HOOK

ADD 4 BARS @

<u>CORNER</u>

CORNER\_

°o⊃ ∏

SEE X-1 6

ADD 2 BARS @

INTERSECTION

`STANDARD

MARGINAL

**DOUBLE CURTAIN** 

STIRRUPS REINFORCEMENT

MIN. BEND DIA. 'D'.

SEE TABLE ABOVE

4d

HOOK

| PRINCIPAL REINFORCEMENT              |              |     |  |  |  |
|--------------------------------------|--------------|-----|--|--|--|
| BAR GRADE BAR SIZE MIN. BEND DIA. 'D |              |     |  |  |  |
| ALL GRADES OF                        | #3 THRU #8   | 6d  |  |  |  |
| REINFORCEMENT                        | #9 THRU #11  | 8d  |  |  |  |
|                                      | #14 THRU #18 | 10d |  |  |  |
| GRADE #40*                           | #3 THRU #11  | 5d  |  |  |  |

ALTERNATING

-----

**INTERSECTION** 

BARS SEE DET.

NOTE: FOR MARGINAL

BENDS

MARGINAL

SINGLE CURTAIN

\_Bar

**CORNER** 

\* FOR 180° BEND ONLY

SEE X-1

STANDARD HOOKS

BAR SIZE


#3 THRU #5

ALL OTHER BARS


| WALL<br>THICKNESS | SINGLE CU<br>CENTER | •               | DOUBLE CURTAIN, ONE<br>AT EACH FACE OF WALL |                  |  |
|-------------------|---------------------|-----------------|---|------------------|--|
|                   | VERT.               | HORIZ.          | VERT.                                       | HORIZ.           |  |
| 6"                | #4 @ 18"            | #4 @ 16"        |   |                  |  |
| 8"                | #4 @ 18" #4 @ 12    |                 | $\left\langle \right\rangle$                |                  |  |
| 10"               | #4 <b>@</b> 16"     | #4 <b>©</b> 10" | #4 <b>@</b> 18"                             | #4 @ 18 <b>"</b> |  |
| 12"               |                     |                 | #4 <b>@</b> 18"                             | #4 <b>@</b> 16"  |  |
| 14"               |                     |                 | #4 <b>@</b> 18"                             | #4 @ 14"         |  |
| 16"               |                     |                 | #4 @ 18"                                    | #4 @ 12 <b>"</b> |  |
| 18"               |                     |                 | #4 @ 18 <b>"</b>                            | #4 @ 10"         |  |

# CONCRETE WALL REINFORCING,

(UNLESS OTHERWISE NOTED) STUDS @ 16" O.C. U.O.N.



NON-BEARING PARTITIONS




| BAR EMBEDMENT "E" |                    |         |                    |         |                    |         |  |  |
|-------------------|--------------------|---------|--------------------|---------|--------------------|---------|--|--|
|                   | f'c = 3            | 000 PSI | f'c = 40           | 000 PSI | f'c = 50           | 000 PSI |  |  |
| BAR<br>SIZE       | TOP<br>BARS<br>(1) | BASIC   | TOP<br>BARS<br>(1) | BASIC   | TOP<br>BARS<br>(1) | BASIC   |  |  |
| #3                | 10                 | 7       | 8                  | 6       | 8                  | 6       |  |  |
| #4                | 12                 | 9       | 11                 | 8       | 10                 | 7       |  |  |
| <b>#</b> 5        | 15                 | 11      | 13                 | 10      | 12                 | 9       |  |  |
| #6                | 17                 | 13      | 15                 | 11      | 13                 | 10      |  |  |
| <b>#</b> 7        | 20                 | 15      | 17                 | 13      | 16                 | 12      |  |  |
| #8                | 23                 | 17      | 20                 | 15      | 19                 | 14      |  |  |
| <b>#</b> 9        | 25                 | 19      | 23                 | 17      | 20                 | 15      |  |  |
| #10               | 28                 | 21      | 25                 | 19      | 23                 | 17      |  |  |
| #11               | 32                 | 24      | 26                 | 20      | 24                 | 18      |  |  |

BAR EMBEDMENT "E"

| CLA         | CLASS A DEVELOPMENT LENGTH ( d) ,(INCHES) |                                |          |         |          |         |  |  |
|-------------|---|--------------------------------|----------|---------|----------|---------|--|--|
|             | f'c = 3                                   | 000 PSI                        | f'c = 40 | 000 PSI | f'c = 50 | 000 PSI |  |  |
| BAR<br>SIZE | TOP<br>BARS<br>(1)                        | BARS BASIC BARS BASIC BARS BAS |          |         |          |         |  |  |
| #3          | 29  | 17                             | 25       | 15      | 23       | 13      |  |  |
| #4          | 39  | 22                             | 34       | 19      | 30       | 17      |  |  |
| #5          | 48  | 28                             | 42       | 24      | 38       | 22      |  |  |
| #6          | 58  | 33                             | 50       | 29      | 45       | 26      |  |  |
| #7          | 68  | 48                             | 59       | 42      | 52       | 38      |  |  |
| #8          | 77  | 55                             | 67       | 48      | 60       | 43      |  |  |
| #9          | 87  | 62                             | 75       | 54      | 67       | 48      |  |  |
| #10         | 96  | 69                             | 83       | 60      | 75       | 54      |  |  |
| #11         | 106                                       | 76                             | 92       | 66      | 82       | 59      |  |  |

- (1). TOP BARS ARE HORIZONTAL BARS SO PLACED THAT MORE THAN 12" OF CONCRETE IS CAST IN THE MEMBER BELOW THE BAR.
- (2). FOR LIGHTWEIGHT CONCRETE USE VALUES TIMES 1.33. (3). SPLICE ALL BARS WITH CLASS B SPLICES U.N.O.
- (4). CLASS B=1.3xCLASS A (5). STAGGE

| ER | SPLICES | IN | ADJACENT | WALL | CURTAINS. |   |
|----|---------|----|----------|------|-----------|---|
|    | BAR     | DI | EVELOF   | PMEI | NT LENGTH | 4 |



| NOTE:<br>SEE GENERAL NOTES FOR<br>MINIMUM CONCRETE COVER | 4'-0" MIN.             |  |
|--|------------------------|--|
| REQUIREMENTS.  | STEPPED FOOTING        |  |
|  |                        |  |
|  | VARIES —<br>, S.A.D. , |  |
| #5 CONTINUOUS —  | 3.A.U.                 |  |
| #7 @ 10°   |                        |  |

| #5 CONTINUOUS<br>#3 @ 12" | VARIES -<br>S.A.D. | SEE 10" CONSTRU | CTION JOINT |
|---------------------------|--------------------|-----------------|-------------|
|                           |                    |                 |             |

CONCRETE CURB

4'-0" Minimum -16-16d @ 4'-0" LAP SPLICE BOTTOM PL SPLICE LOCATION TOP PLATE SPLICE SCALE: N.T.S.

TYPE X

DOUBLE SIDED PLYWOOD SINGLE SIDED PLYWOOD

EDGE NAILING | SILL P CONNECTION (D) PLYWOOD TO TOP P OF WALL TO WOOD 10d @ 6" o.c. | 3/4"ø @ 4'-0" | 16d @ 6"o.c. | A35 @ 16"o.c. 10d @ 4" o.c. | 3/4"ø @ 4'-0" | 16d @ 4"o.c. | A35 @ 12"o.c. 10d @ 3" o.c. | 3/4"ø @ 3'-0" | 16d @ 3" | SDSx6 @ A35 @ 9"o.c. 1/2" EA. SIDE | 10d @ 4" o.c. | 3/4"ø @ 2'-0" | SDSx6 @ 4" A35 @ 8"o.c. 3x 1/2" EA. SIDE | 10d @ 3" o.c. | 3/4"ø @ 1'-6" | SDSx6 @ 3" A35 @ 6"o.c. 3x SUREBOARD | 10d @ 2" o.c. | 3/4"ø @ 1'-6" | SDSx6 @ 2.5" | HGA10KT @8"o.c. 200W EA. SIDE STAGGERED

| NOTES:                                     |                              |                         |                                 |
|--|------------------------------|-------------------------|---------------------------------|
| <ol> <li>ALL SHEATHING IS TO BE</li> </ol> | ½" PLYWOOD OR OSB. ALL FIELD | NAILING (C) IS TO BE AT | 10d@12"o.c. TYP, 10d@6"o.c. FOR |
| SURFROARD 200W BLOCK                       | ALL EDGES TO MATCH REO'D STU | D THICKNESS AT ALL LING | SUPPORTED EDGES OF SHEATHING.   |

2) COMMON NAILS ONLY - NO SINKERS ALLOWED. 3) ALL STUDS @ 16"o.c. UNO.

4) FOUNDATION SILL PLATES SHALL BE 3x PT - WHERE FASTENERS CAUSE FRAMING TO SPLIT, PRE-DRILL

5) STAGGER PANEL EDGE NAILING AT ADJOINING PANEL EDGES. 6) PROVIDE 1/8" GAP BETWEEN HORIZONTAL ADJOINING PANEL EDGES.

BTWN PL WASHER & SHEATHING.

| V <sub> </sub>      /                         |                         |  |   |                                     | ·  |   |                                      | "                             |
|---|-------------------------|--|---|-------------------------------------|--|---|--------------------------------------|-------------------------------|
| PAB ANCHOR                                    | HD19                    | _  | -   | PAB9                                | 12-1/2"  | 19"   | 20"                                  | 30,000#                       |
| F = MIN. COVER IN-PLANE                       | 2) FO<br>SIMPS<br>3) AL | L SHEAR WAL<br>DLLOW ALL MA<br>SON CATALOG.<br>L EPOXY ANC | L ANCHORS SPECIFIED MANUFA<br>NUFACTURER SPECIFICATIONS I<br>REFER TO LATEST MANUFACT<br>HOR BOLTS SHALL BE PULL T<br>PRCING AT C.I.P. A.B.'s SHALL | FOR INSTA<br>TURER'S S<br>TESTED TO | ALLATION OF ANCHORAG<br>PECIFICATIONS IN ANY<br>THE FORCE LEVEL SH | E. INFORMATI<br>CASE OF DISC<br>IOWN ABOVE. | CREPANCY.                            | TAKEN FROM 2022               |
| F = MIN. COVER IN-PLANE AND OUT-OF-PLANE      |                         |  | N SCHEDULE  |                                     |  |   |                                      |                               |
|   | N.1                     | .S.  |   |                                     |  |   | <b>~</b> !                           | ~ <i>"</i> !                  |
| LEAVE 1/8 " GAP —<br>BETWEEN<br>PANEL EDGES 4 |                         |  | AT BLOCK<br>YWOOD JOINTS  |                                     |  | 1   | 3'-(<br>20-10d<br>STAGG'D<br>SIDE OF | NAILS,<br>EACH                |
| (TYP.)  |                         |  |   |                                     |  | 2"  | T                                    | PIPE                          |
|   |                         |  | EDGE<br>NAILING   |                                     |  | <b>у</b> — Г                                | \ 11                                 | D (2/3 W MAX.  GA.x 3'-0" STR |

SEE PLAN

-PLYWOOD TO BE CENTERED ON STUDS 16" o.c. U.N.O. - INTERMEDIATE NAILING 8d @ 12" o.c. U.N.O. HOLDOWN AT END SILL PLATE-

TYPE

HDU2

HDU4

HDU5

HDU8

HDU11

HDU14

ANCHOR

5/8"

5/8"

5/8"

7/8"

-SILL BOLTS, SEE FOUNDATION NAILING DETAILS FOR SIZE & SPACING

SHEARWALL NAILING SCHEDULE SCALE: N.T.S.

(OR HOLDOWN - SEE PLAN) TYPICAL WALL PLYWOOD SCALE: N.T.S.

TYPICAL HOLES FOR PIPE AND CONDUIT IN BEARING OR SHEAR WALL FRAMING (NON-BEARING WALLS SIMILAR) NO SCALE SHEARWALL NAILING SCHEDULE FRAMING CLIP WIDTH OF FRAMING ALLOW.
RIM OR BLK'G MEMBERS RECEIVING SHEAR
FDGF NAILING AT CAP; EDGE NAILING AT CAP.
ABUTTING PANELS (PLF) 310 460 600 920

1200

1827

SIMPSON STRONG-WALL WOOD SHEARWALL (WSW18x9)

TO 75% OF THE FASTENER Ø.

7) FOR 6" SHEARWALLS, PROVIDE 1/2" MAX GAP 8) FOR SIMPSON STRONG-WALL WOOD SHEARWALLS, REFER TO MANUFACTURER'S INSTALLATION DETAILS.

S<sub>1</sub>b

