

From: [Rian, Kathryn\(Katie\)@Wildlife](mailto:Rian_Kathryn(Katie)@Wildlife)
To: [Wiles, Derek](mailto:Wiles_Derek)
Subject: RE: House Protection 19041
Date: Tuesday, August 13, 2024 10:50:15 AM

Caution: This email was sent from an EXTERNAL source. Please take care when clicking links or opening attachments.

Hi Derek,

I visited the property this morning and don't have any substantial concerns. My only recommendation is that tree removal occur outside of nesting season (generally March 15 – August 15 for most species), but Ed assured me that would be the case because they are anxious to repair the septic system and need to remove the trees first.

Katie

From: Rian, Kathryn(Katie)@Wildlife
Sent: Wednesday, August 7, 2024 3:47 PM
To: Wiles, Derek <dwiles@co.humboldt.ca.us>
Subject: RE: House Protection 19041

Thank you, Derek. I just scheduled a site visit for next Tuesday at 9:00 am.

Katie

From: Wiles, Derek <dwiles@co.humboldt.ca.us>
Sent: Wednesday, August 7, 2024 3:03 PM
To: Rian, Kathryn(Katie)@Wildlife <Kathryn.Rian@Wildlife.ca.gov>
Subject: Re: House Protection 19041

WARNING: This message is from an external source. Verify the sender and exercise caution when clicking links or opening attachments.

Hi Katie,

The ECDP does not mean tree removal has occurred yet. The reason that this project added the ECDP is because of their septic system. The contact info for the applicant, Ed Biery, is 719-250-9027. Please let me know if I can help further.

Thank you,

Derek

From: Rian, Kathryn(Katie)@Wildlife <Kathryn.Rian@Wildlife.ca.gov>
Sent: Wednesday, August 7, 2024 2:51 PM
To: Wiles, Derek <dwiles@co.humboldt.ca.us>
Subject: RE: House Protection 19041

Caution: This email was sent from an EXTERNAL source. Please take care when clicking links or opening attachments.

Hi Derek,

Thank you for sharing the biological assessment. I'd like to push back against the recommendation that nesting bird surveys are not warranted, but we can get to that later. I'd like to schedule a site visit for this project. Next Tuesday (August 13) is my only opening – anytime before 3 pm. Does the issuance of an emergency CDP mean the tree removal has already occurred?

Katie

From: Wiles, Derek <dwiles@co.humboldt.ca.us>
Sent: Wednesday, August 7, 2024 1:55 PM
To: Rian, Kathryn(Katie)@Wildlife <Kathryn.Rian@Wildlife.ca.gov>
Subject: RE: House Protection 19041

WARNING: This message is from an external source. Verify the sender and exercise caution when clicking links or opening attachments.

Hi Katie,
Please excuse my error from earlier. The applicant does have a biological assessment, see attached.
Thank you,
Derek

From: Wiles, Derek
Sent: Wednesday, August 7, 2024 1:16 PM
To: Rian, Kathryn(Katie)@Wildlife <Kathryn.Rian@Wildlife.ca.gov>
Subject: RE: House Protection 19041

Hi Katie,
I don't have a biological assessment or Fire Safe Structure Protection exemption from Calfire. Please be advised that 19041 now also has an emergency coastal development permit (19046). Please let me know if you have further questions or need more information.
Thank you,
Derek

From: Rian, Kathryn(Katie)@Wildlife <Kathryn.Rian@Wildlife.ca.gov>
Sent: Wednesday, July 31, 2024 4:10 PM
To: Wiles, Derek <dwiles@co.humboldt.ca.us>
Subject: House Protection 19041

Caution: This email was sent from an EXTERNAL source. Please take care when clicking links or opening attachments.

Hi Derek,

I just received a CDP referral for structure protection/tree removal for a residence along Mitchell Rd (PLN-2024-19041, APN 017-192-006). However, I only received the project transmittal and site plans. Did the applicant submit anything else, like a biological assessment? I assume they're also planning to get a 0-150' Fire Safe Structure Protection exemption from Calfire, though the site plans don't show a clear defensible space buffer.

Katie

Kathryn M. Rian

Environmental Scientist

Coastal Conservation Humboldt/Del Norte

California Department of Fish and Wildlife

619 2nd St, Eureka, CA 95501

Kathryn.Rian@Wildlife.ca.gov

Cell: (707) 298-1346

Office: (707) 441-2098