FW: Insight on 4 cannabis projects and requests of CUPs

Johnson, Cliff <CJohnson@co.humboldt.ca.us>

Fri 4/7/2023 2:48 PM

To: Holtermann, Michael <mholtermann@co.humboldt.ca.us>

1 attachments (175 KB)

PC-Agenda_04062023.pdf;

Michael, since you are editing the report can you make sure that the water numbers are aligned.

From: Bocast, Kalyn@Wildlife <Kalyn.Bocast@Wildlife.ca.gov>

Sent: Thursday, April 6, 2023 12:48 PM

To: Bauer, Scott@Wildlife <Scott.Bauer@wildlife.ca.gov>; Lonyx B Landry <lonyx.landry@humboldt.edu>

Cc: Arroyo, Natalie <narroyo@co.humboldt.ca.us>

Subject: RE: Insight on 4 cannabis projects and requests of CUPs

Hello Lonyx,

Please see the PC Agenda with our comments. Overall, we do not have significant issues with the cannabis projects recommended for approval. There are a few items that are inconsistent in the County's documentation such as stating mixed light cultivation when it is actually outdoor cultivation, and some discrepancies in the proposed water use numbers. I would recommend requesting clarification on these items.

For the Journey Aquarian projects (Agenda Nos. 5 and 6), there is a statement about potential use of a six-million-gallon pond. The CDFW Lake or Streambed Alteration Agreement (LSAA), which is included as item No. 6 Attachment 4C, states that this pond shall be removed and restored. As such, CDFW recommends additional water storage to meet irrigation needs. In addition, both projects have expanded by ~7-8K square feet. This is not striking compared to some of the other sites we have seen, but if you felt like mentioning it, you could request a copy of the cultivation area verification (CAV). I could not find a copy of the CAV on Accela or in the staff report attachments.

Thank you for the opportunity to share our thoughts.

Best,

Kalyn Bocast Senior Environmental Scientist Specialist Watershed Enforcement Team California Department of Fish and Wildlife 619 2nd Street Eureka, CA 95501 (707) 798-7010

From: Bauer, Scott@Wildlife < Scott.Bauer@wildlife.ca.gov >

Sent: Thursday, April 6, 2023 8:27 AM

To: Lonyx B Landry < <u>lonyx.landry@humboldt.edu</u>>

Cc: Arroyo, Natalie <narroyo@co.humboldt.ca.us>; Bocast, Kalyn@Wildlife <Kalyn.Bocast@Wildlife.ca.gov>

Subject: RE: Insight on 4 cannabis projects and requests of CUPs

Good morning Lonyx,

Kalyn is our expert on county cannabis CEQA. She will take a look at the CUP's and get back to you. Thanks for reaching out!

Scott

From: Lonyx B Landry < lonyx.landry@humboldt.edu>

Sent: Wednesday, April 5, 2023 9:10 PM

To: Bauer, Scott@Wildlife < Scott.Bauer@wildlife.ca.gov Cc: Arroyo, Natalie < narroyo@co.humboldt.ca.us narroyow.ca.us <a href="

Subject: Insight on 4 cannabis projects and requests of CUPs

WARNING: This message is from an external source. Verify the sender and exercise caution when clicking links or opening attachments.

We have some Conditional Use Permits being requested. Some of them are suggested to be part of the Consent Agenda and to acquiesce with the Planning Departments recommendations. As I attempt to set my specs, I'd like the CDFWs opinion on these projects.

I've made some notes regarding what I could tease out of the various attachments. I've asked questions around topics that I'm feeling more competent about. Part of what I'm trying to determine is if I agree with the interpretations of our Planning Department.

Please share some CDFW insights on these Agenda items!

Thank you Scott!

Lonyx

PLANNING COMMISSION

IVER SKAVDAL
First District
THOMAS MULDER
Second District
NOAH LEVY
Chair - Third District
LONYX LANDRY
Fourth District
PEGGY O'NEILL
Fifth District
BRIAN MITCHELL
Vice Chair - At-Large
SARAH WEST
At-Large



COUNTY STAFF

JOHN H. FORD Director, Planning and Building

COUNTY OF HUMBOLDT PLANNING COMMISSION

825 Fifth Street Board of Supervisors Chambers Eureka, California

AGENDA

Thursday, April 6, 2023

6:00 PM

Revised Agenda Regular Meeting - Hybrid

HOW TO LISTEN OR WATCH THE PLANNING COMMISSION MEETING:

Listen or Watch the live stream of the Planning Commission Meeting in three ways:

- 1. https://zoom.us/j/87544807065 Password: 200525
- 2. Call in via telephone at 346 248-7799, enter meeting id 875 4480 7065 Password: 200525
 - 3. A live stream of the meeting can be found by using the following link: https://humboldt.legistar.com or by watching Access Humboldt on cable

PUBLIC COMMENT INSTRUCTIONS DURING THE MEETING:

Participate in the public comment period of the meeting in the following three ways:

- 1. In Person: Any person may appear and present testimony for an item on this agenda at the hearing located in the Board of Supervisors' Chamber, Humboldt County Courthouse, 825 Fifth Street, Eureka, California. The Planning Commission needs 15 COPIES of any materials submitted at the meeting.
- 2. Via Computer as an attendee: To address the Commission, click the Raise Hand icon on the bottom of the Zoom window. When you click the Raise Hand icon, a hand icon will appear next to your name that will notify the host your hand is raised. You will also see the hand icon turn green. When you want to lower your hand, click the hand icon again and your hand will be lowered. When you are called upon to speak the Zoom platform will ask you for permission to unmute your mic. If you encounter any issues, please use the call-in option below.
- 3. Via phone call using cellphone or landline: When the Planning Commission meeting begins, call in on the conference line. When the Planning Commission Chair starts to discuss the item you wish to comment on, Press *9 to raise your hand. When you are called upon to speak, you will be prompted to unmute your mic, press *6 to unmute.

Please note: Each Zoom meeting has a unique meeting ID and password. Any item on this agenda that is continued to a future date will use the meeting ID and password applicable to the date the agenda item is to be heard again. Agendas are posted on the Friday before the meeting at https://humboldt.legistar.com.

PUBLIC COMMENT PRIOR TO THE MEETING:

Public comments may be submitted via email to Planningclerk@co.humboldt.ca.us. Please provide the project title, record or case number and date of the hearing. The deadline for submitting written comments is 12:00 p.m. Wednesday, April 5, 2023. After the deadline, written comments may be submitted to the commission in person during the meeting. Verbal comments may be made in person, or on zoom. Comments received after the agenda is posted on Thursday, March 30, 2023, can be found at the "Attachments" section of the "Meeting Details" link next to the posted Agenda at: https://humboldt.legistar.com, and will be included with the administrative record. If you do not have access to email, contact the Planning Clerk at 707-267-9409.

- A. CALL TO ORDER / SALUTE TO FLAG
- **B. COMMISSIONERS PRESENT**
- C. AGENDA MODIFICATIONS

D. PUBLIC COMMENT ON NON-AGENDA ITEMS:

At this time persons may appear before this Commission on any matter pertinent to the Commission's Jurisdiction and that is not on the agenda. When the Chair asks for public comment, please address the Commission from the microphone. Unless otherwise stated, speakers will have three (3) minutes for public comment. Although the Commission may briefly respond to statements or questions, under state law, matters presented under this item cannot be discussed or acted upon by the Commission at this time.

E. CONSENT AGENDA

These Public Hearing matters are routine in nature and are usually approved by a single vote. The Chair will poll the audience and members of the Commission to determine if any item on the consent agenda should be pulled for public comment or further discussion.

1. Review and approval of the January 19, 2023, Action Summary:

Recommendation: Approve the January 19, 2023, Action Summary

Attachments: ActionSummary 01.19.23

2. Review and approval of the February 16, 2023, Action Summary:

Recommendation: Approve the February 16, 2023, Action Summary

Attachments: Action Summary 02.16.23

3. Proposed street name change from Lake Benbow Drive to Benbow Inn Drive.

Recommendation: That the Planning Commission.

1. Recommend the Board of Supervisors approve the street name change from

Lake Benbow Drive to Benbow Inn Drive.

Attachments: Staff Report

Attachment 1 - DRAFT PC Resolution

Attachment 2 - Benbow petition

Attachment 3 - Humboldt County GIS map

Attachment 4 - Benbow PW Referral

4. Healing Sun, LLC

Assessor Parcel Numbers (APN) 220-082-020

Record No.: PLN-12072-CUP

Willow Creek area

Healing Sun seeks a Conditional Use Permit for 16,800 square feet (SF) of existing outdoor commercial cannabis cultivation, with 1,900 SF of ancillary propagation. Two harvests are anticipated annually. Water for irrigation is sourced from an existing permitted well (permit# 18/19-1012). The applicant has obtained a Well Assessment Report for the well. The projected annual water usage totals 280,000 gallons (15 gallons/SF/year) and water storage on-site totals 76,800 gallons in hard sided storage tanks. Processing and trimming will occur on-site in an existing building. Power is provided by a 12.5 kW solar array.

Recommendation:

That the Planning Commission:

- 1. Describe the application as part of the April 6, 2023, Consent Agenda.
- 2. Survey the audience for any person who would like to discuss the application.
- 3. If no one requests discussion, make the following motion to approve the application as part of the Consent Agenda; and
- 4. Adopt the resolution (Resolution 23-__). (Attachment 1) which does the following:
- a. Finds that the Planning Commission has considered the Mitigated Negative Declaration for the Commercial Medical Marijuana Land Use Ordinance and the Addendum that was prepared for the Healing Sun, LLC project); and
- b. Finds that the proposed project complies with the General Plan and Zoning Ordinance; and
- c. Approves the Conditional Use Permit subject to the recommended conditions of approval (Attachment 1A)

Comments:

- -This project may have expanded by a few thousand square feet, however, it appears that the MJ has been consolidated to a more centralized location which is good.
- -The main issue would be their water storage. They are on a well and not required to have as much water storage. Given this is the Mattole watershed (flow impaired during summer), CDFW would strongly recommend additional water storage.

Attachments: Healing Sun Staff Report 12072

Attachment 1 - Resolution

Attachment 1A - Conditions of Approval

Attachment 1B - 12072 Cultivation and Operation Plan 5.15.2020

Attachment 1C.1 - 12072 Addendum to Cultivation and Operations Plan 05.04.2020

Attachment 1C.2 - 12072 Addendum to Cult & Ops Plan 9.13.2022

Attachment 1D - 12072 Site Plan 9.13.2022

Attachment 2 - 12072 Location Maps

Attachment 2A - 12072 Watershed Map

Attachment 3 - CEQA Addendum

Attachment 4 - Applicant's Evidence in Support of Required Findings

Attachment 4A - 12072 Notice of Applicability 10.26.21

Attachment 4B - 12072 Well Assessment Report 8.2.22

Attachment 4C - 12072 Final LSAA 10.26.21

Attachment 4D - 12072 Water Resource Protection Plan 06.29.2018

Attachment 5 - Referral Agency Comments and Recommendations

Attachment 5A - 12072 ref Building Inspection 01.05.2021

Attachment 5B - 12072 ref DEH

Attachment 5C - 12072 Public Works Response

5. Myers and Aquarian, LLC

Assessor Parcel Number (APN) 216-135-015

Record No.: PLN-12124-CUP

New Harris area

A Conditional Use Permit for 24,000 square feet (SF) of existing cannabis cultivation that includes 20,800 SF of light deprivation cultivation in twenty-four (24) greenhouses and 3,200 SF of outdoor cultivation that occurs in pots. Propagation will take place in one (1) nursery area (2.400 SF). Irrigation water is currently sourced from well and a surface water diversion. Existing water storage includes onsite water tanks of various capacities that total 31,000 gallons. The applicant is proposing to transition away from the use of the well by obtaining water from either a 6-million-gallon on-stream reservoir on a separate legal parcel or from rainwater catchment for at least half of the irrigation needs, with the remainder from the existing surface water diversion, with an appropriate increase in water storage to ensure adherence to the required forbearance period. Estimated onsite water use is 270,000 gallons per year (approximately 11.25 gallons/sf/year). Drying and processing occur onsite within an existing metal building (1,500 SF). The project requires up to four (4) seasonal employees. Power is provided by one (1) 36-kw Whisper Watt Super Silent mobile generator, that is used to power the metal drying building as well as existing solar panels. The applicant proposes to transition to PG&E with only backup generator use within five years or in the event that PG&E is not available to continue to build out solar capabilities on site to meet power needs.

Recommendation:

That the Planning Commission:

Adopt the resolution (Resolution 23-__). (Attachment 1) which does the following: a. Finds that the Planning Commission has considered the adopted Mitigated Negative Declaration (MND) prepared for the Commercial Medical Marijuana Land Use Ordinance, and considered the Addendum to the MND that was prepared for the Myers and Aquarian, LLC project; and

b. Finds that the proposed project complies with the General Plan and Zoning

Ordinance; and

c. Approves the Conditional Use Permit subject to the recommended conditions of approval (Attachment 1A)

Comments:

- Looking at aerial imagery this cultivator expanded by 8K. This is not as striking as other sites we have seen. No County Cultivation Area Verification (CAV).
- The LSAA (CDFW permit) included in the staff report states, the 6-million gallon pond shall be removed & restored, not used for irrigation. As such, it may be appropriate to suggest that the applicant install sufficient water storage prior to cultivating to their full capacity.
- -The Resolution (Attachment 1 below) says "Mixed Light" cultivation in the County summary, however, the project summary says outdoor cultivation. Which is it? This is a major difference & should be clarified prior to approval. It should say outdoor as this is what was proposed. We highly encourage the PC request the "mixed-light" language be corrected.
- -Cultivation on this parcel was previously full-sun outdoor & not in greenhouses. Conversion of cultivation method has been a CDFW concern for years, which the County has ignored. Greenhouses are a higher impact than full-sun outdoor, but this type of conversion has been permitted continuously by the County despite that a change of the project from existing conditions would be inconsistent with the County CEQA document. This would be a difficult battle to fight at this point but I wanted to mention it so that you are aware.

Attachments: Myers and Aquarian Staff Report 12124

Attachment 1 - Resolution

Attachment 1A - Conditions of Approval

Attachment 1B - Operations Plan

Attachment 1C - Site Plan Attachment 2 - Location Maps Attachment 2A - Watershed Map Attachment 3 -CEQA Addendum

Attachment 4 - Evidence in Support of Required Findings

Attachment 4A - Water Right

Attachment 4B - Site Management Plan

Attachment 4C - LSAA

Attachment 4D - Geologic and Soils Report

The water need stated in this doc is 360, $\underline{Attachment\ 4E}$ - $\underline{Restoration\ Plan}$ 000 for 24K cultivation.

Attachment 4F - Woodland Restoration Plan

Attachment 4G - Road Eval

Attachment 4H - Irrigation line diagram

Attachment 4I - Biologcial Report

Attachment 4J - Botanical Survey

Attachment 5 - Referral Responses

Attachment 5A - Environmental Health Response

Attachment 5B - Building Inspection Response

Attachment 5C - Public Works Response

Attachment 5D - CalFIRE Response

6. Humboldt Kingz, LLC AKA Journey Aquarian (above)

Assessor Parcel Number(s) (APN) 216-135-008 & 216-136-004

Record No.: PLN-12125-CUP

New Harris area

A Conditional Use Permit for 37,250 square feet of existing outdoor cannabis cultivation and a Special Permit for restoration work within Streamside Management Area (SMA). Outdoor cannabis cultivation will occur in light deprivation greenhouses and full sun. There will be a maximum of two cultivation cycles occurring annually. Water for irrigation is currently provided by a well and rainwater catchment in hard sided tanks totaling 15,000 gallons. The applicant is proposing to transition away from the use of the well and has proposed that water for irrigation be provided either by a 6-million-gallon on-stream reservoir or rainwater catchment utilizing 400,000 gallons of rainwater catchment tanks (15,000 gallons existing and 385,000 gallons proposed). The applicant anticipates 400,000 gallons of water will be required annually for irrigation. Processing such as drying and curing are proposed onsite within an existing 1,440-square-foot dry shed. Further processing such as trimming is proposed offsite at a licensed processing facility. The applicant anticipates two (2) full-time employees and six (6) seasonal employees will be required for a total of eight (8) employees at peak operations annually. Power for the project will be provided by solar with an emergency backup generator. The applicant is seeking to transition to PG&E power if available within five years; however, in the event that it is not available the power source will be solar with a generator available for emergency backup only.

Recommendation:

That the Planning Commission:

Adopt the resolution (Resolution 23-__). (Attachment 1) which does the following: a. Finds that the Planning Commission has considered the adopted Mitigated Negative Declaration (MND) prepared for the Commercial Medical Marijuana Land Use Ordinance, and considered the Addendum to the MND that was prepared for the Humboldt Kingz, LLC project (Attachment 3); and b. Finds that the proposed project complies with the General Plan and Zoning

Ordinance; and

c. Approves the Conditional Use Permit and Special Permit subject to the recommended conditions of approval (Attachment 1A)

Comments:

- Total area in 2015 was ~30K. No HumCo CAV. Again, not as striking as other sites that have expanded but may be worth noting.

- Same pond comment as No. 5 (above)

Attachments: 12125 Humboldt Kingz Staff Report 4.6.23.pdf

Attachment 1 - Draft Resolution

Attachment 1A - Conditions of Approval
Attachment 1B - Ops Plan Humboldt Kingz

Attachment 1C - Site Plan

Attachment 2 - 12125 Location Map
Attachment 2A - Watershed Map
Attachment 3 - CEQA Addendum

Attachment 4 - Evidence in Support of Required Findings

Attachment 4A - Site Management Plan

Attachment 4B - Notice of Applicability 02.04.21

Attachment 4C - LSAA

Attachment 4D - Road Eval

Attachment 4E - Wetland Restoration Plan 02.04.21

Attachment 4F - Restoration Plan 02.04.21

Attachment 4G - Botanical Survey

Attachment 4H - Geologic Evaluation

Attachment 5 - Referral Responses

Attachment 5A - DEH Response

Attachment 5B - Sheriff Response

7. Cali's Finest Gardens, LLC Conditional Use Permit Record Number PLN-12468-CUP (filed 12/23/2016)

Assessor's Parcel Number: 210-072-009.

Bridgeville area

Recommendation: Continue the Cali's Finest Gardens Conditional Use Permit to a date uncertain.

Comments:

-No major comments as this is recommended to be continued.

8. American Hospital Management Corp Conditional Use Permits and Special Permits

Record Number: CUP-16-1057 (filed 12/30/2016)

Assessor Parcel Number (APN) 522-492-016

Willow Creek Area

Denial of two (2) Conditional Use Permits and three (3) Special Permits under the Commercial Medical Marijuana Land Use ordinance (CMMLUO) for commercial cannabis Distribution, Manufacturing, Indoor Cultivation, Offsite Processing, and Commercial Nursery. Water would be provided by Willow Creek Community Services District. Water use proposed for 10,000 square feet of indoor cultivation was 180,000-gallons/year, with an unknown amount of additional water required for Manufacturing and Commercial Nursery activities. Power source or number of employees were not included in Cultivation and Operations Plan provided by the applicant.

Recommendation:

That the Planning Commission:

- 1. Describe the application as part of the Consent Agenda
- 2. Survey the audience for any person who would like to discuss the application.
- 3. If no one requests discussion, make the following motion to approve the application as part of the Consent Agenda; and
- 4. Adopt the resolution (Resolution 22-__). (Attachment 1) which does the following:
- a. Finds the American Hospital Management Corp Conditional Use Permits and Special Permits project statutorily exempt from the California Environmental Quality Act (CEQA) per section 15270 (Projects Which Are Disapproved) of the CEQA Guidelines.
- b. Finds the applicant has not provided sufficient evidence necessary to make the required findings for approval
- c. Denies the American Hospital Management Corp Conditional Use Permits and Special Permits.

Attachments:

13230 AHMC Denial Staff Report 4.6.23.pdf

Attachment 1 - 13230 AHMC Denial Resolution

Attachment 1a - 13230 Operations Plan 09.14.2017

Attachment 1b - 13230 Site Plan 09.14.2017

Attachment 2 - Location Maps

Attachment 2A - Watershed Map

Attachment 3 - Applicant's Evidence in Support of Required Findings

9. Sun Ocean West Expansion, LLC Conditional Use Permit, Special Permit, and Notice of Merger Extension

Assessor Parcel Numbers (APN) 510-171-039-000, 510-171-040-000, 510-171-060-000

Record No.: PLN-2022-18039

McKinleyville Area

A two-year extension to a previously approved Conditional Use Permit (CUP), Special Permit (SP) and a Notice of Merger (NOM) (PLN-14268-CUP). The previously approved project included a CUP and associated permits for a proposed expansion of Ocean West Manufactured Home Park. The NOM portion of the proposed project consists of the merging of two vacant 4.5 acre and 0.57-acre parcels into the 25.33 acre developed manufactured home park for a total of 30.4 acres. The merger would allow for the expansion of 25 spaces for a total of 155 units. The CUP is required to operate a manufactured home park in the C-1 Neighborhood Commercial zoning district. There is a previously approved CUP (CUP-37-77) for the existing 25.33-acre portion of Ocean West. The proposed road connecting the proposed western expansion to the rest of the park will result in approximately 82 square feet of a one-parameter wetland being filled and 3,049 square feet of encroachment into the Streamside Management Area (SMA). The SP is required for development within the SMA protective buffer of Widow White Creek, resulting in temporary and permanent impacts to the riparian habitat and associated wetlands. Mitigation measures will be required to reduce the potentially significant impact to wetlands, the SMA, water quality, and to habitats. Mitigation measures include invasive and non-native vegetation and tree removal, native planting within the restoration area, 350 square feet of wetland restoration, and 15,000 square feet of riparian restoration. Twenty-nine trees are slated for removal and 185 trees will be planted. Low impact development measures are proposed to reduce stormwater runoff and to meet County standards for Hydromodification projects. These measures include the use of permeable pavement for all roadways and driveways, and the use of bioretention basins. Approximately 30,000 square feet of additional recreational space is proposed to meet requirements for the expansion of manufactured home park. This will include a dog park, trails, community garden, and picnic areas. No change to the original project is proposed. If approved, the extension will expire on January 4, 2025.

Recommendation:

That the Planning Commission:

- 1. Describe the application as part of the Consent Agenda
- 2. Survey the audience for any person who would like to discuss the application.
- 3. If no one requests discussion, make the following motion to approve the application as part of the Consent Agenda; and
- 4. Adopt the resolution (Resolution 23-). (Attachment 1) which does the following:
- a. Finds that a Mitigated Negative Declaration (State Clearinghouse Number 2020029032) was previously adopted for the Sun Ocean West Expansion, LLC Conditional Use Permit, Special Permit, and Notice of Merger Extension and no additional environmental review is necessary; and

b. Approves the Conditional Use Permit, Special Permit, and Notice of Merger Extension.

Attachments: 18039 Sun Ocean West Expansion Staff Report 4.6.23.pdf

Attachment 1 - Draft Resolution

Attachment 1A - Conditions of Approval

Attachment 2 - Location Map

Attachment 3 - Referral Agency Comments

Attachment 4 - 14268 Ocean West Staff Report 12.16.21

10. Hosford Final Map Subdivision, Lot Line Adjustment, and Special Permit Extension

Record Number: PLN-2023-18081(filed 01/24/2023)

Assessor Parcel Numbers (APN) 018-031-020 & 018-032-008

Cutten area

A two-year extension of a previously approved Final Map Subdivision (FMS) to create 4 parcels and a fifth adjusted by a Lot Line Adjustment (LLA). All parcels will be accessed via Redwood Street, a paved County road, which will be significantly improved as a result of this project. The Special Permit is required for the removal of five (5) redwood trees and for an exception to the parking requirements for proposed Parcel 4 and Parcel B of the LLA. The area is served by community water and sewer. No change to the original project is proposed. This is the second extension requested and if approved, the extension will expire on January 28, 2025. This project was previously automatically extended once in 2019 for two years, and again for 18 months under AB1561.

Recommendation:

That the Planning Commission:

- 1. Describe the application as part of the Consent Agenda.
- 2. Survey the audience for any person who would like to discuss the application.
- 3. If no one requests discussion, make the following motion to approve the application as part of the Consent Agenda; and
- 4. Adopt the resolution (Resolution 23-__). (Attachment 1) which does the following:
- a. Finds that a Mitigated Negative Declaration (SCH# 2009082082) was previously adopted for the Hosford Final Map Subdivision, Lot Line Adjustment, and Special Permit Extension project) and that no further environmental review is required; and
- b. Finds that the proposed project complies with the General Plan and Zoning Ordinance; and
- c. Approves the Final Map Subdivision, Lot Line Adjustment, and Special Permit Extension subject to the recommended conditions of approval (Attachment 1A); and

Attachments:

18081 Hosford Staff Report 4.6.23.pdf

Attachment 1 - Draft Resolution 4.6.23
Attachment 1A - Conditions of Approval

Attachment 1B - Site Plan
Attachment 2 - Location Map

Attachment 3 - Referral Agency Comments and Recommendations

11. Tony Ellena Parcel Map Subdivision Extension

Record Number: PLN-2023-18097 (filed 02/07/2023)

Assessor Parcel Number (APN) 510-291-087

McKinleyville area

A two-year extension to a Minor Subdivision of an approximately 21,842 square foot parcel to divide it into three parcels ranging in size from 5,005 square feet to 6,233 square feet. An exception to the right of way width is requested to allow the subdivision to be served by a 20-foot-wide easement. The parcel is currently vacant and served with community water and sewer. The new expiration date will be February 13, 2025. The project was previously automatically extended for 18 months under AB 1561. This is the first extension application submitted to Humboldt County.

Recommendation:

That the Planning Commission:

- 1. Describe the application as part of the Consent Agenda.
- 2. Survey the audience for any person who would like to discuss the application.
- 3. If no one requests discussion, make the following motion to approve the application as part of the Consent Agenda; and
- 4. Adopt the resolution (Resolution 23-__). (Attachment 1) which does the following:
- a. Finds that the Planning Commission has adopted a Mitigated Negative Declaration (SCH# 2019059068) for the Tony Ellena Parcel Map Subdivision project and no further environmental review is needed; and
- b. Finds that the proposed project complies with the General Plan and Zoning Ordinance: and
- c. Approves the Tony Ellena Parcel Map Subdivision Extension subject to the recommended conditions of approval (Attachment 1A).

Attachments:

18097 Ellena Staff Report 4.6.23.pdf

Attachment 1 - 18097 Draft Resolution 4.6.23
Attachment 1A - 18097 Conditions of Approval

Attachment 1B - Tentative Map
Attachment 2 - Location Map

Attachment 3 Referral Responses 4.6.23

- F. ITEMS PULLED FROM CONSENT
- G. OLD BUSINESS
- H. NEW BUSINESS
- I. REPORT FROM PLANNER
- J. PLANNING COMMISSION DISCUSSION ITEMS

K. ADJOURNMENT

L. NEXT MEETINGS April 20, 2023 6:00 p.m. Regular meeting - Hybrid

The Chamber is wheelchair accessible, the accessible entrance to the Courthouse is the 4th Street entrance. Accessible parking is available adjacent to the 4th Street entrance and on the 4th Street side of the K Street lot. If you are a person with a qualified disability, and need a modification or accommodation to participate in this meeting, please contact the Clerk of the Board at (707) 476-2384, or (707) 445-7299 (fax). Requests for such modifications or accommodations must be made at least three full business days before the start of the meeting.